

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	214	726/13.ccls.	US-PGPUB; USPAT	OR	OFF	2006/05/18 19:08
S2	629	intranet near3 firewall	US-PGPUB; USPAT	OR	OFF	2006/05/18 17:50
S3	2	intranet near3 firewall and S1	US-PGPUB; USPAT	OR	OFF	2006/05/18 17:50
S4	0	intranet near3 firewall and delimitarized	US-PGPUB; USPAT	OR	OFF	2006/05/18 17:51
S5	91	intranet near3 firewall and dmz	US-PGPUB; USPAT	OR	OFF	2006/05/18 17:51
S6	18	intranet near3 firewall near3 external	US-PGPUB; USPAT	OR	OFF	2006/05/18 17:51
S7	5439	(access adj control adj list acl)	US-PGPUB; USPAT	OR	OFF	2006/05/18 19:08
S8	26	(access adj control adj list acl) near3 external	US-PGPUB; USPAT	OR	OFF	2006/05/18 19:10
S9	179	(access adj control adj list acl) near3 database	US-PGPUB; USPAT	OR	OFF	2006/05/18 19:10
S10	132	(access adj control adj list acl) near2 database	US-PGPUB; USPAT	OR	OFF	2006/05/18 19:13
S11	119	(rule\$1 access adj control adj list acl) near5 database same firewall	US-PGPUB; USPAT	OR	OFF	2006/05/18 19:47
S12	1	"6484261".pn.	US-PGPUB; USPAT	OR	OFF	2006/05/19 13:07
S13	173620	(judg\$3 label\$3 rank\$3 classif\$4 separat\$4 verif\$5 separat\$3 compartemntaliz\$3 sort\$4 assign\$4 assess\$4 group\$3 devid\$3 categori\$4 restrict\$3 analys\$3 identif\$4 predict\$3) with (trustworth\$5 trust\$2 malicious secure critical non adj critical corrupt\$3 bug\$3 behav\$4 misbehav\$3 fail\$4 classif\$4 secret top adj secret topsecret stable threat\$3 integrity volnurabl\$4 risk\$1 confidential4 classified unclassified restrict\$2 sensitiv\$3 complexity) with (program\$1 application\$1 service\$1 process\$2 software execuabale\$1 module\$1 class\$2)	US-PGPUB; USPAT	OR	OFF	2006/05/19 13:08

EAST Search History

S14	329393	(judg\$3 label\$3 rank\$3 classif\$4 separat\$4 verif\$5 separat\$3 compartemntaliz\$3 sort\$4 assign\$4 assess\$4 group\$3 devid\$3 categori\$4 restrict\$3 analys\$3 identif\$4 predict\$3) near5 (trustworth\$5 trust\$2 malicious secure critical non adj critical corrupt\$3 bug\$3 behav\$4 misbehav\$3 fail\$4 classif\$4 secret top adj secret topsecret stable threat\$3 integrity volnurabl\$4 risk\$1 confidential4 classified unclassified restrict\$2 sensitiv\$3 complexity)	US-PGPUB; USPAT	OR	OFF	2006/05/19 13:08
S15	65836	(judg\$3 label\$3 rank\$3 classif\$4 separat\$4 verif\$5 separat\$3 compartemntaliz\$3 sort\$4 assign\$4 assess\$4 group\$3 devid\$3 categori\$4 restrict\$3 analys\$3 identif\$4 predict\$3) near5 (program\$1 application\$1 service\$1 process\$2 software execuabale\$1 module\$1 class\$2) near5 (trustworth\$5 trust\$2 malicious secure critical non adj critical corrupt\$3 bug\$3 behav\$4 misbehav\$3 fail\$4 classif\$4 secret top adj secret topsecret stable threat\$3 integrity volnurabl\$4 risk\$1 confidential4 classified unclassified restrict\$2 sensitiv\$3 complexity)	US-PGPUB; USPAT	OR	OFF	2006/05/19 13:20
S16	43936	(separat\$3 group\$3 split\$3 divid\$3 partition\$3)near5 (program\$1 application\$1 service\$1 process\$2 software execuabale\$1 module\$1 class\$2) near5 (node\$1 workstation\$1 terminal\$1 pc\$1 computer\$1 work adj1 station\$1 server\$1 PC\$1)	US-PGPUB; USPAT	OR	OFF	2006/05/19 13:12
S17	794	S15 same S16	US-PGPUB; USPAT	OR	OFF	2006/05/19 13:11
S18	109	S17 and ("726"/\$ "713"/\$ "380"/\$). ccls.	US-PGPUB; USPAT	OR	OFF	2006/05/19 13:15
S19	15328	(separat\$3 group\$3 split\$3 divid\$3 partition\$3)adj3 (program\$1 application\$1 service\$1 process\$2 software execuabale\$1 module\$1 class\$2) near5 (node\$1 workstation\$1 terminal\$1 pc\$1 computer\$1 work adj1 station\$1 server\$1 PC\$1)	US-PGPUB; USPAT	OR	OFF	2006/05/19 13:13

EAST Search History

S20	16568	((separat\$3 group\$3 split\$3 divid\$3 partition\$3)adj3 (program\$1 application\$1 service\$1 process\$2 software executable\$1 module\$1 class\$2)) or ((program\$1 application\$1 service\$1 process\$2 software executable\$1 module\$1 class\$2)) adj3 (separated grouped splited divided partitioned)) near5 (node\$1 workstation\$1 terminal\$1 pc\$1 computer\$1 work adj1 station\$1 server\$1 PC\$1)	US-PGPUB; USPAT	OR	OFF	2006/05/19 13:20
S21	15328	S19 same S20	US-PGPUB; USPAT	OR	OFF	2006/05/19 13:14
S22	273	S20 same S15	US-PGPUB; USPAT	OR	OFF	2006/05/19 13:15
S23	43	S22 and ("726"/\$ "713"/\$ "380"/\$). ccls.	US-PGPUB; USPAT	OR	OFF	2006/05/19 14:05
S24	2315	((separat\$3 group\$3 split\$3 divid\$3 partition\$3)adj3 (program\$1 application\$1 service\$1 process\$2 software executable\$1 module\$1 class\$2)) or ((program\$1 application\$1 service\$1 process\$2 software executable\$1 module\$1 class\$2)) adj3 (separated grouped splited divided partitioned)) near5 (node\$1 workstation\$1 terminal\$1 pc\$1 computer\$1 work adj1 station\$1 server\$1 PC\$1)	USOCR; EPO; JPO; DERWENT	OR	OFF	2006/05/19 13:20
S25	16875	(judg\$3 label\$3 rank\$3 classif\$4 separat\$4 verif\$5 separat\$3 compartemntaliz\$3 sort\$4 assign\$4 assess\$4 group\$3 devid\$3 categori\$4 restrict\$3 analys\$3 identif\$4 predict\$3) near5 (program\$1 application\$1 service\$1 process\$2 software executable\$1 module\$1 class\$2) near5 (trustworth\$5 trust\$2 malicious secure critical non adj critical corrupt\$3 bug\$3 behav\$4 misbehav\$3 fail\$4 classif\$4 secret top adj secret topsecret stable threat\$3 integrity volnurabl\$4 risk\$1 confidential4 classified unclassified restrict\$2 sensitiv\$3 complexity)	USOCR; EPO; JPO; DERWENT	OR	OFF	2006/05/19 13:24
S26	24	S24 near10 S25	USOCR; EPO; JPO; DERWENT	OR	OFF	2006/05/19 13:27

EAST Search History

S28	596	(judg\$3 label\$3 rank\$3 classif\$4 assign\$4 assess\$4 analys\$3 identif\$4 predict\$3) with (attribut\$1 level degree class classes classification tear grade) with (program\$1 application\$1 service\$1 process\$2 software executable\$1 module\$1 class\$2) near3 (trustworth\$5 trust\$2 malicious corrupt\$3 bug\$3 stable stability threat\$3 integrity risk\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/05/19 14:05
S29	281	(judg\$3 label\$3 rank\$3 classif\$4 assign\$4 assess\$4 analys\$3 identif\$4 predict\$3) with (program\$1 application\$1 service\$1 process\$2 software executable\$1 module\$1 class\$2) near5 (attribut\$1 level degree class classes classification tear grade)near3 (trustworth\$5 trust\$2 malicious corrupt\$3 bug\$3 stable stability threat\$3 integrity risk\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/05/19 14:05
S30	355	(judg\$3 label\$3 rank\$3 classif\$4 assign\$4 assess\$4 analys\$3 identif\$4 predict\$3) near5 (program\$1 application\$1 service\$1 process\$2 software executable\$1 module\$1 class\$2) near5 (attribut\$1 level degree class classes classification tear grade)near3 (trustworth\$5 trust\$2 malicious corrupt\$3 bug\$3 stable stability threat\$3 integrity risk\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/05/19 14:03
S31	543	(judg\$3 label\$3 rank\$3 classif\$4 assign\$4 assess\$4 analys\$3 identif\$4 predict\$3) with (attribut\$1 level degree class classes classification tear grade) with (program\$1 application\$1 service\$1 process\$2 software executable\$1 module\$1 class\$2) near3 (trustworth\$5 trust\$2 malicious corrupt\$3 bug\$3 stable stability threat\$3 integrity risk\$1)	US-PGPUB; USPAT	OR	OFF	2006/05/19 14:19
S32	79	S31 and ("726"/\$ "713"/\$ "380"/\$). ccls.	US-PGPUB; USPAT	OR	OFF	2006/05/19 14:14
S33	85976	(program\$1 application\$1 service\$1 process\$2 software executable\$1 module\$1 class\$2) near5 (select\$3 choos\$3 chosen plac\$3 instal\$4 pick\$3 specif\$2 assign\$3) near4 (location computer node PC server)	US-PGPUB; USPAT	OR	OFF	2006/05/19 14:20

EAST Search History

S34	53	(judg\$3 label\$3 rank\$3 classif\$4 assign\$4 assess\$4 analys\$3 identif\$4 predict\$3) with (attribut\$1 level degree class classes classification tear grade) with (program\$1 application\$1 service\$1 process\$2 software execuab\$1 module\$1 class\$2) near3 (trustworth\$5 trust\$2 malicious corrupt\$3 bug\$3 stable stability threat\$3 integrity risk\$1)	EPO; JPO; DERWENT	OR	OFF	2006/05/19 14:13
S35	5	S31 same S33	US-PGPUB; USPAT	OR	OFF	2006/05/19 14:14
S37	31	(judg\$3 label\$3 rank\$3 classif\$4 assign\$4 assess\$4 analys\$3 identif\$4 predict\$3) with (attribut\$1 level degree class classes classification tear grade) with (program\$1 application\$1 service\$1 process\$2 software execuab\$1 module\$1 class\$2) near3 (trustworth\$5 trust\$2 malicious corrupt\$3 bug\$3 stable stability threat\$3 integrity risk\$1)	USOCR; EPO; JPO	OR	OFF	2006/05/19 14:41
S38	53	(judg\$3 label\$3 rank\$3 classif\$4 assign\$4 assess\$4 analys\$3 identif\$4 predict\$3) with (attribut\$1 level degree class classes classification tear grade) with (program\$1 application\$1 service\$1 process\$2 software execuab\$1 module\$1 class\$2) near3 (trustworth\$5 trust\$2 malicious corrupt\$3 bug\$3 stable stability threat\$3 integrity risk\$1)	EPO; JPO; DERWENT	OR	OFF	2006/05/19 14:19
S40	13516	(program\$1 application\$1 service\$1 process\$2 software execuab\$1 module\$1 class\$2) near5 (select\$3 choos\$3 chosen plac\$3 instal\$4 pick\$3 specif\$2 assign\$3) near4 (location computer node PC server)	EPO; JPO; DERWENT	OR	OFF	2006/05/19 14:20
S41	1	(S37 S38) and S40	EPO; JPO; DERWENT	OR	OFF	2006/05/19 14:20
S42	102	(separat\$3) near5 (program\$1 application\$1 service\$1 process\$2 software execuab\$1 module\$1 class\$2) near3 (trustworth\$5 trust\$2 malicious corrupt\$3 bug\$3 stable stability threat\$3 integrity risk\$1)	USOCR; EPO; JPO	OR	OFF	2006/05/19 14:44

EAST Search History

S43	0	(location computer node PC server) near4 (separat\$3) near5 (program\$1 application\$1 service\$1 process\$2 software executable\$1 module\$1 class\$2) near3 (trustworth\$5 trust\$2 malicious corrupt\$3 bug\$3 stable stability threat\$3 integrity risk\$1)	USOCR; EPO; JPO	OR	OFF	2006/05/19 14:43
S44	5	(location computer node PC server) same S42	USOCR; EPO; JPO	OR	OFF	2006/05/19 14:43
S45	808	(separat\$3) near5 (program\$1 application\$1 service\$1 process\$2 software executable\$1 module\$1 class\$2) near3 (trustworth\$5 trust\$2 malicious corrupt\$3 bug\$3 stable stability threat\$3 integrity risk\$1)	US-PGPUB; USPAT	OR	OFF	2006/05/19 14:45
S46	23	(location computer node PC server) near4 (separat\$3) near5 (program\$1 application\$1 service\$1 process\$2 software executable\$1 module\$1 class\$2) near3 (trustworth\$5 trust\$2 malicious corrupt\$3 bug\$3 stable stability threat\$3 integrity risk\$1)	US-PGPUB; USPAT	OR	OFF	2006/05/19 14:45
S47	15	(location computer node PC server) near4 (separat\$3) near5 (program\$1 application\$1 service\$1 process\$2 software executable\$1 module\$1 class\$2) near3 (trustworth\$5 un adj trust\$2 untrust\$2 malicious corrupt\$3 bug\$3 stable stability threat\$3 integrity risk\$1)	US-PGPUB; USPAT	OR	OFF	2006/05/19 16:13